

Fecha: 13 de mayo 2019

Medida PDA Talca – Maule: artículo 20, Prohíbe uso de calefactores a leña en Organismos de la Administración del Estado.

REGISTRO FOTOGRÁFICO

 A photograph of a white pellet stove with a glass door showing a fire inside. It is located in an office with wooden flooring, a black chair, and a blue poster on the wall. A silver chimney pipe extends from the stove to the ceiling.		 A photograph of the same white pellet stove in a hallway with dark wood flooring. A silver chimney pipe extends from the stove to the ceiling. A doorway is visible in the background.	
Fotografía N°1	Fecha: 13/05/2019	Fotografía N°2	Fecha: 13/05/2019
Fotografía de equipo a pellet en las dependencias de la UF.		Fotografía de equipo a pellet en las dependencias de la UF.	
 A photograph of a white window-mounted air conditioner in an office. There are stacks of papers and books on a desk in front of the window, and a black chair is partially visible.		 A photograph of the same window-mounted air conditioner from a slightly different angle. The wall has some papers and a small drawing pinned to it.	
Fotografía N°3	Fecha: 13/05/2019	Fotografía N°4	Fecha: 13/05/2019
Fotografía de equipo de aire acondicionado en las dependencias de la UF.		Fotografía de equipo de aire acondicionado en las dependencias de la UF.	